

**Shuttle LED dimmer maximum LED loads (500W & 800W Rotary, 125W, 250W, 500W & 800W Bell-press)****Shuttle TRAILING EDGE LED dimmers (Live In and Load Out, No Neutral required)**

NO	LED BRAND	MODEL	RATING (W)	DRIVER	DIMMER	TYPE	MAXIMUM NO OF LEDs			
							125W	250W	500W	800W
1	ACDC Dynamics	LEDC35E-E27 (Candle)	3.5	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 28	1 - 55	1 - 98
2	ACDC Dynamics	DIM-KLGU10-7W *	7	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 45
3	ACDC Dynamics	DIM-GU10-35-60	4	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 34	1 - 61
4	ACDC Dynamics	DIM-MR16-35-60-DL	4	External (LW70)	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
5	ACDC Dynamics	DIM-GU10-5W	5	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 39	1 - 69
6	ALT LED (Aeon)	T8 Tube V4 T03RNP23ES-19	22.5	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 20
7	ALT LED (Aeon)	T8 Tube V4 T03RNP46ES-19	46	Internal	SDIM-T-LED	Trailing	1 - 2	1 - 3	1 - 7	1 - 12
8	ALT LED (Aeon)	V2.5 GU10/GZ10	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
9	ALT LED (Aeon)	MR16 7W	7	Pharox Transformer	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 91
10	AL TSA	TL DL 610W 40KC	10	AL TSA 300mA driver	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
11	AL TSA	TL DL 630W 40KC	30	AL TSA 750mA driver	SDIM-T-LED	Trailing	1 - 2	1 - 3	1 - 7	1 - 13
12	Apollo	TSL91E164D A80 (E27) *	7	Internal	SDIM-T-LED	Trailing	2 - 7	2 - 13	2 - 27	2 - 48
13	Apollo	TSL91E165D A80 (E27) *	10	Internal	SDIM-T-LED	Trailing	2 - 6	2 - 12	2 - 24	2 - 43
14	Applo	DIM MR16 GU10	5	Internal	SDIM-T-LED	Trailing	2 - 14	2 - 26	2 - 51	2 - 91
15	Applo	GU10 5W *	5	Internal	SDIM-T-LED	Trailing	2 - 15	2 - 29	2 - 56	2 - 99
16	Aurora	Candle E14	5	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 29	1 - 57	1 - 102
17	Aurora	Par16 GU10 (AU-DGU106A/30)	6	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 38	1 - 68
18	Aurora	Par16 GU10	6.5	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
19	Aurora	Par16 GU10 (FLG GU10WD)	6	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 32	1 - 58
20	Aurora	FLCDL19CD	19	Aurora 19W LED driver	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 15	1 - 27
21	Aurora	Par16 GU10 (AU-DGU1085/30)	8.5	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
22	Aurora	Par16 GU10 (AU-DGU1085/40)	8.5	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
23	Aurora	AU-DL10013AW/30	13	Aurora AU-ALDD4015	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
24	Aurora	AU-DL10019AW/30	19	Aurora AU-ALDD4019	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 15	1 - 26
25	Afrison	Floodlight 10W	10	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 54
26	Brightgreen	PR700 MR16	10	External **	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 32	1 - 57
27	Brightlux	GU10 Spot	4	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 45
28	Brightlux	GU10	5	Internal	SDIM-T-LED	Trailing	1 - 2	1 - 3	1 - 6	1 - 11

29	Brightlux	GU10 (GNH-AC-GU10-5W-B)	5	Internal	SDIM-T-LED	Trailing	1 - 19	1 - 36	1 - 70	1 - 123
30	Bright Star	Bulb LED 128 GU10	5	Internal	SDIM-T-LED	Trailing	2 - 14	2 - 26	2 - 51	2 - 91
31	Bright Star	Bulb LED 145 GU10 ****	5	Internal	SDIM-T-LED	Trailing	2 - 15	2 - 29	2 - 57	2 - 101
32	Brillance	I4Light 5W GU10	5	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 93
33	Calex	421594 LED Lamp 1020lm	12	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 46
34	Calex	425414 Filament Rustic 320lm	4	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 90
35	Calex	425464 Filament Globe 320lm	4	Internal	SDIM-T-LED	Trailing	1 - 18	1 - 34	1 - 66	1 - 116
36	Calex	425468 Filament Globe 650lm	6	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 46	1 - 81
37	Calex	425484 Filament Globe 320lm	4	Internal	SDIM-T-LED	Trailing	1 - 18	1 - 34	1 - 66	1 - 116
38	Calex	425491 Filament Tube 310lm	3.5	Internal	SDIM-T-LED	Trailing	1 - 25	1 - 47	1 - 91	1 - 162
39	Calex	425492 Filament Tube 320lm	4	Internal	SDIM-T-LED	Trailing	1 - 19	1 - 37	1 - 72	1 - 127
40	Calex	425493 Filament Tube 400lm	4	Internal	SDIM-T-LED	Trailing	1 - 19	1 - 37	1 - 72	1 - 127
41	Calex	425496 Filament Tube 350lm	4	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 90
42	Calex	425732 Filament Flex GLS 200lm	4	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 29	1 - 57	1 - 102
43	Calex	425782 Filament Globe 200lm	4	Internal	SDIM-T-LED	Trailing	1 - 18	1 - 34	1 - 66	1 - 116
44	Calex	474483 Filament Spherical 350lm	3.5	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 29	1 - 57	1 - 102
45	Calex	474484 Filament Spherical 350lm	4	Internal	SDIM-T-LED	Trailing	1 - 25	1 - 47	1 - 91	1 - 162
46	Calex	474490 Filament Candle 350lm	3.5	Internal	SDIM-T-LED	Trailing	1 - 25	1 - 47	1 - 91	1 - 162
47	Calex	474509 Filament GLS 810lm	7	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 45	1 - 79
48	Calex	474510 Filament GLS 810lm	7	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 38	1 - 68
49	Candela	GU10 short	5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 48	1 - 86
50	Citizen	COB Series	17	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
51	Diall LED	5W GU10	5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 48	1 - 86
52	DK Lighting	GU10 CL-0002	5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 44
53	Duracell	Candle *	3.5	Internal	SDIM-T-LED	Trailing	1 - 23	1 - 44	1 - 86	1 - 152
54	Duracell	Mini Globe *	3.5	Internal	SDIM-T-LED	Trailing	1 - 23	1 - 44	1 - 86	1 - 152
55	Duracell	A-Shape	6	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
56	Eagle Lighting	LED downlighter KK1936/D	12	Osram OTE 13 350mA	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 23	1 - 41
57	Earth Power	Black Max GU10	5	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 20
58	EcoLED	GU10	5	Internal	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 17	1 - 30
59	EcoLED	GU10	6	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 19
60	EcoLED	GU10	9	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 19	1 - 34
61	EcoLED	MR16 3W	3	Pharox Transformer	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 39	1 - 70
62	EcoLED	MR16 6W	6	Pharox Transformer	SDIM-T-LED	Trailing	1 - 11	1 - 20	1 - 39	1 - 70
63	Enlite	EN-DCNDE145/27 E14 Candle	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43

64	Enlite	EN-DGU005/30	5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 45
65	Enlite	EN-DGU1005/40	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 42
66	Enlite	EN-DGU1005/27	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 42
67	Enlite	EN-DDL101/27	8	Integrated	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 36
68	Enlite	EN-DDL10/40	10	Integrated	SDIM-T-LED	Trailing	1 - 7	1 - 14	1 - 28	1 - 49
69	Enlite	EN-DDL15/40	15	Integrated	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 38
70	Enlite	EN-DDL20/40	20	Integrated	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 16	1 - 29
71	Enlite	EN-DDL25/40	25	Integrated	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 13	1 - 23
72	Enviro-Bulb	E55-GU-35WWD (GU10 3000K) 90059	5.5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 41
73	Enviro-Bulb	E55-GU-35CWD (GU10 4000K) 90060	5.5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 41
74	Enviro-Bulb	E55-GU-35DWD (GU10 5000K) 90061	5.5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 41
75	Enviro-Bulb	E55C-E14-WWD (E14 2700K) 90038	5.5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 24	1 - 43
76	Enviro-Bulb	E55C-E27-WWD (E27 2700K) 90039	5.5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 24	1 - 43
77	Enviro-Bulb	E55C-B22-WWD (B22 2700K) 90043	5.5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 24	1 - 43
78	Eurolux	G727CW-LED-GU10	7	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 38
79	Eurolux	G478CW-LED-GU10	7	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 47	1 - 83
80	Eurolux	Candle G977	6	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 91
81	Eurolux	Candle G952	6	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 31	1 - 61	1 - 108
82	Flash	GU10 (600 969 636 8382)	7	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 12	1 - 22
83	Flash	GU10 (600 969 636 9945)	7	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 18	1 - 32
84	Flash	LED Filament ST64 Pear E27 *	4	Internal	SDIM-T-LED	Trailing	1 - 28	1 - 54	1 - 105	1 - 187
85	Futurelight	GU10 5W Spot	5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 44
86	GAP	SMD LED GU10	6	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 12	1 - 21
87	GC	GU10 (LED CUP)	6	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 12	1 - 21
88	GC	GU10 VLC-1005Z	6	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 12	1 - 21
89	GC	GU10 LED Spot Light	6	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 29	1 - 57	1 - 102
90	GE	GU10	6	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 73
91	Genesis One	GU10D63	6.3	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 28	1 - 55	1 - 98
92	GEP Power	GU10 460lm	6.5	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 28	1 - 51
93	GEP Power	GU10 556lm	7	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 28	1 - 51
94	G Light	GU10 36D	6.5	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 35	1 - 63
95	G Light	GU10 36D 4000K	6.5	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 45	1 - 79
96	G Light	GU10 36D ECO 4000K	7	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 43	1 - 76
97	Giantlight	LED Panel, AC 72x LED's	40	Internal	OEM Giantlight	Trailing	1 - 2	1 - 4	1 - 10	1 - 17
98	Hi-Tech	FXCGU10	7	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 45	1 - 80

99	Havells	BrightFill Filament Candle	5	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 28	1 - 55	1 - 98
100	Havells	BrightFill Filament A60	7	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
101	Havells	GU10 865 Dim	6.5	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 32	1 - 57
102	InterEnergy	GU10 "Silver"	5	Internal	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 9	1 - 17
103	InterEnergy	GU10 "White"	5	Internal	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 9	1 - 17
104	InterEnergy	K50	12	External (K50 Driver)	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 14	1 - 25
105	InterEnergy	G50	8	External (G50 Driver)	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 65
106	InterEnergy	B80	12	External (B80 Driver)	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 14	1 - 25
107	K. Light	GU10 (COB 550lm)	7	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 50	1 - 89
108	K. Light	Filament Bulb UF-L01761-D	4	Internal	SDIM-T-LED	Trailing	1 - 23	1 - 44	1 - 86	1 - 152
109	Landmark	RL-5WD-15WW	5	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 12	1 - 21
110	Ledionopto	GU10C	7	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
111	Ledionopto	TD20 Series downlighter	7	350mA driver	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 32	1 - 57
112	Ledionopto	TD36 Series downlighter	15	700mA driver	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 35
113	Ledionopto	DLV LED 25W NW	25	700mA driver	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 8	1 - 15
114	LED Lumo	GU10	6	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 54
115	LED Lumo	GU10 (Aluminium housing)	6	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 23	1 - 40
	Ledvance	See Osram / Ledvance below								
116	LEDwise	ML7-WW-36-AL-D	9.6	External **	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 22	1 - 38
117	Lightbulbmoment	LBM-G4-1.5W-PL03-DIM	1.5	Verbatim LW70	SDIM-T-LED	Trailing	1 - 41	1 - 78	1 - 151	1 - 268
118	Limeligt	GU10 380lm	4	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 20
119	Lights by Linea	Model 7" ****	17	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 22	1 - 39
120	Light Leader (GEP)	GU10-CY2-D	4.5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
121	Light Leader (GEP)	GU10-COB-YZ-D	7.5	Internal	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 14	1 - 25
122	Lightspot	Littleou 420lm GU10 *	6	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 53	1 - 94
123	LMR Lighting	GU10 ****	6	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 51
124	LMR Lighting	GU10	7	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
125	Luc-Eco	GU10 (LGDW5W37-01)	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
126	Lumax	LUM-GU10-SMD-SH-4.5W *	4.5	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 92
127	Lumax	LUM-GU10-COB-SU-5W *	5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 49	1 - 88
128	Lumax	GU10 WW	4.5	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 91
129	Lumax	GU10 (Single LED)	5	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 35
130	Lumax	GU10 SMD 2835	7.5	Internal	SDIM-T-LED	Trailing	3 - 14	3 - 27	3 - 54	3 - 95
131	Lumax	GU10 (Single LED)	8	Internal	SDIM-T-LED	Trailing	3 - 5	3 - 9	3 - 18	3 - 33
132	Lumax	A60 Bulb	7	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 45

133	Lumax	A60 Bulb SMD 2835	9.5	Internal	SDIM-T-LED	Trailing	3 - 9	3 - 17	3 - 34	3 - 60
134	Lumax	E14 Candle	3	Internal	SDIM-T-LED	Trailing	1 - 33	1 - 63	1 - 121	1 - 215
135	Lumax	GU10 30SMD	5	Internal	SDIM-T-LED	Trailing	1 - 20	1 - 38	1 - 74	1 - 132
136	Lumax	GU10 (Glass)	5.5	Internal	SDIM-T-LED	Trailing	1 - 21	1 - 40	1 - 77	1 - 136
137	Lumax	Candle E14 (LUM-CD3714/05-3K)	5	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 93
138	Lumax	GU10 (LUM-GUD/055-4K)	5.5	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 28	1 - 51
139	Lumax	S11 G45 *	5	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 36
140	Lumax	S11 GU10 *	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
141	Lumax	S11 C37 *	5	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 19	1 - 34
142	Lumax	S11 A60 *	9	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 36
143	Luminence	K50-R7	9.5	Dimtronic 260mA driver	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
144	Luxn	LED Spot GU10	5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 24	1 - 47	1 - 83
145	Major Tech	GU10 (L2A-D3W)	3	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 12	1 - 22
146	Major Tech	GU10 (L2A-D5C)	5	Internal	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 9	1 - 16
147	Major Tech	GU10 (L2A-D5W)	5	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 19
148	Major Tech	LED filament E14 (LFC35E14-D4W)	4	Internal	SDIM-T-LED	Trailing	1 - 25	1 - 48	1 - 92	1 - 163
149	Major Tech	Candle E14 (LC38E14-D48W)	4.8	Internal	SDIM-T-LED	Trailing	1 - 22	1 - 42	1 - 81	1 - 143
150	Major Tech	LED filament E27 (LFA60E27-D6W)	6	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 46
151	Major Tech	E27 (LA60E27-D7C)	7	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 54
152	Mezmerize	HL-MZ-5.5W-GU10-D	5.5	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 19
153	Mezmerize	HL-MZ-8W-GU10-D	8	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 34	1 - 61
154	Mezmerize	HL-UDL-003 6W Panel 300mA	6	FSDKE0409301	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 9	1 - 17
155	Mezmerize	HL-UDL-005 12W Panel 300mA	12	FSDKE1524301	SDIM-T-LED	Trailing	1 - 1	1 - 2	1 - 6	1 - 10
156	Mezmerize	Round 18W Panel 300mA	18	FSDKE1524301	SDIM-T-LED	Trailing	1 - 1	1 - 2	1 - 4	1 - 8
157	Mezmerize	Round 24W Panel 300mA	24	FSDKE1524301	SDIM-T-LED	Trailing	1 - 1	1 - 2	1 - 4	1 - 7
158	Mezmerize	ML-DL-10W-TR	10	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
159	Mezmerize	ML-Z-G45-4.5W *	4.5	Internal	SDIM-T-LED	Trailing	1 - 17	1 - 32	1 - 62	1 - 111
160	Mezmerize	ML-Z-C37-4.5W *	4.5	Internal	SDIM-T-LED	Trailing	1 - 25	1 - 48	1 - 94	1 - 166
161	Mezmerize	ML-Z-6.8W-GU10-W	6.8	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 55
162	Mezmerize	ML-Z-A60-9W	9	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 10	1 - 18
163	Mezmerize	230VAC Strip LED 1m *	8	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 46	1 - 81
164	Meteor	GU10	3	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 51
165	Meteor	GU10	4	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
166	Meteor	GU10	6	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 19
167	NVC	NLED110D (350mA)	9	Aurora 1-10W Driver	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 38

168	NVC	NLED110D (350mA)	9	Aurora 7-10W Driver	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 53
169	NVC	NLED111D (500mA)	12	Aurora 20W Driver	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 27	1 - 48
170	NVC	G Light GU10	6.5	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 35	1 - 62
171	NVC	LED GU10D	7	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 73
172	MSI	"I"GU10	5	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 51
173	O-Lite	LEDGU10-6WD	6	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 10	1 - 18
174	O-Lite	OL-CY03 (Cyclops Range)	3	O-lite Mini D26004NT	SDIM-T-LED	Trailing	1 - 19	1 - 36	1 - 71	1 - 126
175	O-Lite	OL-CY06 (Cyclops Range)	6	O-lite D26009NT	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
176	O-Lite	OL-CY12 (Cyclops Range)	12	O-lite D26012NT	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 34	1 - 60
177	O-Lite	OL-CY18 (Cyclops Range)	18	O-lite D26020NT	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 35
178	Oppl	GU10 Spot Light	5	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 29	1 - 57	1 - 102
179	Oppl	LED-E-E27-6W-DIM	6	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
180	Oppl	GU10 Spot Light	7	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 54
181	OptiLED	Tornado GU10 5.5W	5.5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 22	1 - 39
182	Optique	XOPT3012	12	Actec DIM300mA	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 13	1 - 24
183	Osram / Ledvance	Parathom Pro Par16 50 Advanced R	9.5	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 38	1 - 68
184	Osram / Ledvance	Parathom Pro Par16 50 Advanced R	10	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 34	1 - 61
185	Osram / Ledvance	Parathom Pro Par16 50 Advanced	5.3	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 44	1 - 78
186	Osram / Ledvance	Parathom Pro PAR16 50 (Adv)	5.5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 24	1 - 47	1 - 83
187	Osram / Ledvance	Parathom Pro MR16 20 Advanced	5	External **	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 91
188	Osram / Ledvance	Parathom Pro MR16 35 Advanced	5.9	External **	SDIM-T-LED	Trailing	2 - 12	2 - 23	2 - 47	2 - 83
189	Osram / Ledvance	Parathom Pro MR16 35 Advanced	7	External **	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 40	1 - 71
190	Osram / Ledvance	Parathom Pro MR16 35 Advanced R	10	External **	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 46
191	Osram / Ledvance	Parathom Pro LEDSpot AR111 50 Adv.	12	External **	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
192	Osram / Ledvance	Parathom Classic P25 Advanced	4	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 28	1 - 51
193	Osram / Ledvance	Parathom Classic P40 Advanced	6	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 30	1 - 58	1 - 103
194	Osram / Ledvance	Parathom Par16 65 Advanced	8	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
195	Osram / Ledvance	LED Superstar PAR16 35 (Adv)	3.6	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 31	1 - 60	1 - 107
196	Osram / Ledvance	LED Superstar PAR16 35 Advanced	4.8	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 30	1 - 59	1 - 105
197	Osram / Ledvance	LED Superstar PAR16 35 Advanced	5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 49	1 - 88
198	Osram / Ledvance	LED Superstar PAR16 50 *	4.6	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 93
199	Osram / Ledvance	LED Superstar PAR16 50 Advanced *	4.6	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 93
200	Osram / Ledvance	LED Superstar PAR16 50 (Adv)	5	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 30	1 - 59	1 - 105
201	Osram / Ledvance	LED Superstar PAR16 50 Advanced	5.3	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 44	1 - 78
202	Osram / Ledvance	LED Superstar PAR16 50 (Adv)	5.5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 24	1 - 47	1 - 83

203	Osram / Ledvance	LED Superstar PAR16 50 (Adv)	6	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 24	1 - 47	1 - 83
204	Osram / Ledvance	LED Superstar PAR16 50 Advanced	7	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 72
205	Osram / Ledvance	LED Superstar PAR16 50 Advanced	7.5	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 34	1 - 61
206	Osram / Ledvance	LED Superstar MR16 50 Advanced	8.5	External **	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 33	1 - 58
207	Osram / Ledvance	LED Superstar MR16 35 Advanced	4.9	External **	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 93
208	Osram / Ledvance	LED Superstar MR16 35 Advanced	5	External **	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 93
209	Osram / Ledvance	LED Superstar MR16 35 Advanced	6.8	External **	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 55
210	Osram / Ledvance	LED Superstar MR16 35 Advanced	6.5	External **	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 93
211	Osram / Ledvance	LED Superstar Classic B 25 Advanced	4.5	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 72
212	Osram / Ledvance	LED Superstar Classic B 40 Advanced	6	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
213	Osram / Ledvance	LED Superstar Classic P 25 Advanced	4.5	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 72
214	Osram / Ledvance	LED Superstar Classic A 60	8.5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 14	1 - 28	1 - 49
215	Osram / Ledvance	LED Superstar Classic A 60	9	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 39	1 - 69
216	Osram / Ledvance	LED Superstar Classic A 60 Advanced	10	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 54
217	Osram / Ledvance	LED Superstar Classic A 60 Advanced	12	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 55
218	Osram / Ledvance	LED Superstar Globe 95 60 Advanced	9	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 13	1 - 22
219	Osram / Ledvance	Vintage 1906 LED Edison (filament)	7	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
220	Osram / Ledvance	RDL 2014163	5	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 32	1 - 58
221	Osram / Ledvance	Luxpoint Mini G2 *	12	Internal	SDIM-T-LED	Trailing	2 - 7	2 - 13	2 - 26	2 - 46
222	Pharox	MR16 5W	5	Pharox Transformer	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 73
223	Pharox	P200 P45	4	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
224	Pharox	GU10	5.5	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 20	1 - 39	1 - 70
225	Pharox	P300 GU10	5.5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 27	1 - 48
226	Pharox	P600	8.5	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 36
227	Pharox	#105010 360lm (Candle) *	4	Internal	SDIM-T-LED	Trailing	1 - 32	1 - 61	1 - 119	1 - 210
228	Pharox	#105011 320lm (Flame Filament) *	4	Internal	SDIM-T-LED	Trailing	1 - 32	1 - 61	1 - 119	1 - 210
229	Pharox	#105012 410lm (Candle Filament) *	4	Internal	SDIM-T-LED	Trailing	1 - 32	1 - 61	1 - 119	1 - 210
230	Pharox	#105510 400lm (Filament) *	4	Internal	SDIM-T-LED	Trailing	1 - 32	1 - 61	1 - 119	1 - 210
231	Pharox	#106010 360lm (Bulb) *	4	Internal	SDIM-T-LED	Trailing	1 - 27	1 - 51	1 - 99	1 - 175
232	Pharox	#106011 400lm (Filament) *	4	Internal	SDIM-T-LED	Trailing	1 - 27	1 - 51	1 - 99	1 - 175
233	Pharox	#106012 320lm (Flame Filament) *	4	Internal	SDIM-T-LED	Trailing	1 - 27	1 - 51	1 - 99	1 - 175
234	Pharox	#106510 600lm (Filament) *	6	Internal	SDIM-T-LED	Trailing	1 - 17	1 - 32	1 - 62	1 - 111
235	Pharox	P800 A60 Lamp 470lm *	7	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 34	1 - 61
236	Pharox	P800 A60 Lamp 810lm *	10	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 23	1 - 42
237	Pio LED	GU10	3	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 54	1 - 95

238	Pio LED	GU10	4.5	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 45	1 - 79
239	Pio LED	GU10	5	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 43	1 - 76
240	Pio LED	GU10	6	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 54
241	Philips	Master LEDspot GU10 40D	4	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 33	1 - 58
242	Philips	Master LEDspot GU10 MV Value *	4.3	Internal	SDIM-T-LED	Trailing	1 - 17	1 - 32	1 - 63	1 - 112
243	Philips	Master LEDspot GU10 MV Value	5.3	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
244	Philips	Master LEDspot GU10 40D (MV)	6	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 28	1 - 50
245	Philips	Master LEDspot GU10 40D	7	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 28	1 - 50
246	Philips	Master LEDspot GU10 40D	8	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 13	1 - 22
247	Philips	Master LEDspot GU10 PF	6	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 47
248	Philips	Master LEDcandle E14	3	Internal	SDIM-T-LED	Trailing	1 - 15	1 - 28	1 - 54	1 - 96
249	Philips	Master LEDbulb E27	12	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 38
250	Philips	Master LEDspot GU5.3 MR16	7	External **	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 52
251	Philips	Master LEDspot GU5.3 MR16	10	External **	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 45
252	Philips	Master LEDspot GU10 MV	5.4	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 40	1 - 72
253	Philips	Master LEDspot GU10 MV Value	3.5	Internal	SDIM-T-LED	Trailing	1 - 19	1 - 36	1 - 70	1 - 124
254	Philips	Master LEDspot ExpertColor GU10	3.9	Internal	SDIM-T-LED	Trailing	1 - 20	1 - 38	1 - 75	1 - 133
255	Philips	Master LEDspot Value GU10	4.9	Internal	SDIM-T-LED	Trailing	1 - 17	1 - 32	1 - 62	1 - 111
256	Philips	Master LEDspot MV GU10	5	Internal	SDIM-T-LED	Trailing	1 - 17	1 - 32	1 - 62	1 - 111
257	Prime K R	4" (DL-PRIME-K-4-R15-840-45-SD)	15	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
258	Prime K R	6" (DL-PRIME-K-6-R20-840-75-D)	20	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 36
259	Prime K R	8" (DL-PRIME-K-8-R20-840-90-D)	20	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 20	1 - 36
260	Prime K R	8" (DL-PRIME-K-8-R30-840-90-D)	30	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 10	1 - 18
261	Radiant	LED 140 GU10	5	Internal	SDIM-T-LED	Trailing	1 - 18	1 - 34	1 - 66	1 - 116
262	Radiant	LED 121 GU10	7	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
263	Radiant	LED 122 GU10	7	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
264	Radiant	LED 025	25	Radiant 700mA driver	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 8	1 - 13
265	Radiant	LED 032	32	Radiant D700040NT	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 10	1 - 18
266	Radiant	LED076 GU10 6.5W	6.5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 23	1 - 41
267	Radiant	GU10 6.5W	6.5	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 18	1 - 33
268	Radiant	GU10	5	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 31	1 - 60	1 - 107
269	Radiant	GU10 8W Sharp	8	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 45	1 - 80
270	Radiant	5.4W Downlighter LDL001	5.4	Radiant 350mA driver	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 45	1 - 81
271	Radiant	9.7W Downlighter LDL002	9.7	Radiant 350mA driver	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 23	1 - 41
272	Radiant	23W Downlighter LDL025	23	Radiant 700mA driver	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 8	1 - 13



273	Radiant	23W Downlighter LDL009	23	Radiant 700mA driver	SDIM-T-LED	Trailing	1 - 2	1 - 4	1 - 8	1 - 13
274	Radium	RL-A60 DIM	10	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 19	1 - 34
275	Regent Lighting	Perox RS10W- 500mA	10	Lumotech Minidim 12VA	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 47
276	Regent Lighting	Module 25W	25	Tridonic LCBI 25W	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 15	1 - 26
277	Renesola	GU10 (RG10D006AY03)	6	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 44
278	Renesola	Candle (RCD007AE01)	6.5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 23	1 - 41
279	Renesola	Bulb A60 (RA60D009AE01)	9	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 54
280	Robus	RTA9P230	9.2	Internal	SDIM-T-LED	Trailing	1 - 21	1 - 40	1 - 77	1 - 136
281	Robus	9WDLCCCT3 *	9	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 35	1 - 62
282	Robus	RF7LEDDWW	9	Robus R10LED200DB	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 53
283	Robus	Taylor 3CCT	9	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 34	1 - 61
284	SAA	SP77 GU10	8	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
285	SAA	SP91 GU10	6	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 45	1 - 80
286	SAA	SP95 GU10	9	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 11	1 - 19
287	Samsung	SI-M8V073BD1EU PAR16	6.7	Internal	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 17	1 - 29
288	Samsung	SI-M8W0773BD1EU PAR16	6.7	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
289	Samsung	SI-M8V093BD1EU PAR16	7.7	Internal	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 16	1 - 28
290	Seoul Semi	Acrich AC3-2 *	5	COB	SDIM-T-LED	Trailing	1 - 21	1 - 40	1 - 77	1 - 136
291	Shuttle	T5 Dimmable LED Tube 1150mm	21	Shuttle	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 31	1 - 54
292	Spazio Lighting	GU10 (LA 410540180902)	5	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 5	1 - 10	1 - 18
293	Spazio Lighting	GU10 (LA 4205903640))	5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 45
294	Spazio Lighting	GU10 LED BULB	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
295	Spazio Lighting	GU10 410/40100702	7	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 39	1 - 69
296	Spazio Lighting	GU10 LA 410730200702	7	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 46	1 - 81
297	Spazio Lighting	LED Panel lamp PR225A	18	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 19	1 - 34
298	Spazio Lighting	2478 Round Tilt D/L	15	Spazio 7317.350.18.D	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 43
299	Sunlit Technologies	LED GU10 (#20436) Cool White	5	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 54
300	Sunlit Technologies	LED GU10 (#20429) Warm White	5	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 54
301	Sunlit Technologies	LED A60 (#20207) Cool White	10	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 45
302	Sunlit Technologies	LED A60 (#20214) Warm White	10	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 45
303	Sylvania	RefLED MR16 Eco (non dimmable)	6.5	External **	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 37
304	Sylvania	RefLED+ ES50	6.8	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 22	1 - 39
305	Sylvania	RefLED+ ES50 V2	5.5	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 53
306	Sylvania	RefLED Superia ES50 V2.1	6	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 53
307	Sylvania	RefLED+ ES50 GU10 Dim 830	5.5	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 20	1 - 39	1 - 70

308	Sylvania	RefLED+ ES50 GU10 Dim 830 40d SL	6.5	Internal	SDIM-T-LED	Trailing	1 - 4	1 - 7	1 - 15	1 - 27
309	Sylvania	RefLED ES50	5.5	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 90
310	Sylvania	RefLED ES50 Hi-Spot GU10	6.5	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 92
311	Synerji	GU10 ***	5	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 12	1 - 24	1 - 42
312	Synerji	GU10 (0517)	5	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 73
313	Synerji	GU10 ***	6.5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 24	1 - 47	1 - 83
314	Synerji	GU10 ***	7	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 21	1 - 38
315	Synerji	Candle B22	5.5	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 30	1 - 59	1 - 105
316	Synerji	GLS Lamp E27	10	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 23	1 - 40
317	Swiss LED	GU10 SWISL GU55ED65	5.5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 27	1 - 48
318	Swiss LED	GU10 E390SGNCA	5	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 44
319	Swiss LED	Bulb S2E0210D	10	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 35	1 - 63
320	Venture Lighting	VLED DOM026	6	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
321	Verbatim	#52017 PAR38 (E27)	18	Internal	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 16	1 - 29
322	Verbatim	#52019 Classic A E27	9	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 35	1 - 62
323	Verbatim	#52028 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
324	Verbatim	#52034 E27	20	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 19	1 - 33
325	Verbatim	#52040 GU10	6	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 26	1 - 51	1 - 91
326	Verbatim	#52041 GU10	8.5	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
327	Verbatim	#52045 GU10	6.5	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 50	1 - 89
328	Verbatim	#52047 Classic B E14	3.7	Internal	SDIM-T-LED	Trailing	1 - 17	1 - 32	1 - 62	1 - 111
329	Verbatim	#52049 GU10	7	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 31	1 - 60	1 - 106
330	Verbatim	#52200 GU10	7	Internal	SDIM-T-LED	Trailing	1 - 12	1 - 23	1 - 47	1 - 83
331	Verbatim	#52205 AR111 G53	15	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 19	1 - 33
332	Verbatim	#52206 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 53
333	Verbatim	#52207 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
334	Verbatim	#52208 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 53
335	Verbatim	#52209 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
336	Verbatim	#52210 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 35	1 - 62
337	Verbatim	#52211 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
338	Verbatim	#52212 MR16	3.5	Verbatim LW70	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
339	Verbatim	#52214 GU10	7	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 50	1 - 89
340	Verbatim	#52217 GU10	7	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
341	Verbatim	#52220 Classic A E27	7.5	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 65
342	Verbatim	#52224 MR16	6.5	Verbatim LW70	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 30	1 - 53

343	Verbatim	#52225 E27	7.7	Internal	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 36	1 - 64
344	Verbatim	#52230 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
345	Verbatim	#52231 MR16	7	Verbatim LW70	SDIM-T-LED	Trailing	1 - 10	1 - 19	1 - 37	1 - 66
346	Verbatim	#52235 GU10	7.3	Internal	SDIM-T-LED	Trailing	1 - 16	1 - 31	1 - 60	1 - 106
347	Verbatim	#52310 GU10	8.5	Internal	SDIM-T-LED	Trailing	1 - 9	1 - 17	1 - 35	1 - 62
348	Verbatim	#52308 GU10	6	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 27	1 - 47
349	Verbatim	#52322 E27 Globe	8.8	Internal	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 26	1 - 46
350	Verbatim	#52611 G95 Large Globe	10	Internal	SDIM-T-LED	Trailing	1 - 6	1 - 11	1 - 22	1 - 39
351	Verbatim	#52350 GU10	8	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 42	1 - 74
352	Verbatim	#52343 AR111	10	Verbatim #52900 (70W)	SDIM-T-LED	Trailing	1 - 7	1 - 13	1 - 25	1 - 44
353	Verbatim	AR111 ("non-dimmable")	14.5	Internal	SDIM-T-LED	Trailing	1 - 3	1 - 6	1 - 12	1 - 22
354	Vossloh-Schwabe	GU10 #556799	6	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 9	1 - 19	1 - 34
355	Vossloh-Schwabe	GU10 #553220	7	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 50	1 - 89
356	Vossloh-Schwabe	GU10 #553221	7	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 50	1 - 89
357	Vossloh-Schwabe	GU10 #541126	7	Internal	SDIM-T-LED	Trailing	1 - 13	1 - 25	1 - 50	1 - 89
358	Vossloh-Schwabe	LED COB Module #559774	10	Internal	SDIM-T-LED	Trailing	1 - 11	1 - 21	1 - 41	1 - 73
359	Vossloh-Schwabe	LED COB Module #559779	15	Internal	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 52
360	Vossloh-Schwabe	LED COB Module #559784	20	Internal	SDIM-T-LED	Trailing	1 - 5	1 - 10	1 - 21	1 - 36
361	Vossloh-Schwabe	Pro Series #550880	12	External Integrated	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 51
362	Vossloh-Schwabe	Pro Series #550882	12	External Integrated	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 51
363	Vossloh-Schwabe	Pro Series #550884	12	External Integrated	SDIM-T-LED	Trailing	1 - 8	1 - 15	1 - 29	1 - 51
364	Vossloh-Schwabe	Pro Series #550885	18	External Integrated	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 17	1 - 30
365	Vossloh-Schwabe	Pro Series #550886	18	External Integrated	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 17	1 - 30
366	Vossloh-Schwabe	Pro Series #550887	18	External Integrated	SDIM-T-LED	Trailing	1 - 4	1 - 8	1 - 17	1 - 30
367	Uniontech SA	GU10	5	Internal	SDIM-T-LED	Trailing	1 - 14	1 - 27	1 - 52	1 - 92
368	Generic	230VAC LED Striplight 60 LED/m *	8.25/m	Rectified Mains	SDIM-T-LED	Trailing	1 - 16	1 - 31	1 - 60	1 - 107


**Shuttle LEADING EDGE LED dimmers (Live In and Load Out, No Neutral required )**

NO	LED BRAND	MODEL	RATING (W)	DRIVER	DIMMER	TYPE	MAXIMUM NO OF LEDs			
							125W	250W	500W	800W
369	Ace	GU10	3	Internal	SDIM-L-LED	Leading	1 - 17	1 - 32	1 - 62	1 - 111
370	Ace	GU10	4	Internal	SDIM-L-LED	Leading	1 - 10	1 - 19	1 - 37	1 - 66
371	Ace	GU10	5	Internal	SDIM-L-LED	Leading	1 - 5	1 - 9	1 - 19	1 - 33
372	Aurora	Par16 GU10 (AU-DGU1040W/30)	4	Internal	SDIM-L-LED	Leading	1 - 3	1 - 6	1 - 13	1 - 22
373	Aurora	Par16 GU10 (FLG GU10WD)	6	Internal	SDIM-T-LED	Leading	1 - 2	1 - 4	1 - 8	1 - 14
374	Bright Star	Bulb LED 128 GU10	5	Internal	SDIM-L-LED	Leading	2 - 11	2 - 21	2 - 40	2 - 72
375	Duracell	A-Shape	6	Internal	SDIM-L-LED	Leading	1 - 3	1 - 5	1 - 11	1 - 19
376	Duracell	Mini Globe *	3.5	Internal	SDIM-L-LED	Leading	1 - 23	1 - 44	1 - 86	1 - 152
377	Duracell	Candle *	3.5	Internal	SDIM-L-LED	Leading	1 - 23	1 - 44	1 - 86	1 - 152
378	Duracell	GU10 Spot (Al housing)	5	Internal	SDIM-L-LED	Leading	1 - 6	1 - 12	1 - 24	1 - 43
379	Duracell	GU10 Spot (Plastic housing)	5	Internal	SDIM-L-LED	Leading	1 - 5	1 - 9	1 - 17	1 - 31
380	EcoLED	GU10 DIM	5	Internal	SDIM-L-LED	Leading	1 - 3	1 - 6	1 - 12	1 - 22
381	EcoLED	GU10 DIM	7	Internal	SDIM-L-LED	Leading	1 - 6	1 - 11	1 - 21	1 - 38
382	Johnson	GU10 (WW & CW)	6	Internal	SDIM-L-LED	Leading	1 - 3	1 - 5	1 - 11	1 - 19
383	Lightbulbmoment	LBM-GU10-4.5W-DIM	4.5	Internal	SDIM-L-LED	Leading	1 - 3	1 - 5	1 - 11	1 - 19
384	Lightbulbmoment	LBM-GU10-5W-DIM	5	Internal	SDIM-L-LED	Leading	1 - 5	1 - 10	1 - 20	1 - 36
385	Lightbulbmoment	LBM-GU10-7.5W-DIM	7.5	Internal	SDIM-L-LED	Leading	1 - 3	1 - 6	1 - 12	1 - 21
386	Li Zhau	Panel LED 3W	3	Li Zhau 4W Driver	SDIM-L-LED	Leading	1 - 3	1 - 6	1 - 12	1 - 22
387	Li Zhau	Panel LED 6W	6	Li Zhau 7W Driver	SDIM-L-LED	Leading	1 - 3	1 - 5	1 - 10	1 - 18
388	Li Zhau	Panel LED 9W	9	Li Zhau 15W Driver	SDIM-L-LED	Leading	1 - 2	1 - 4	1 - 9	1 - 16
389	Luc-Eco	GU10 (LGDW5W37-01)	5	Internal	SDIM-L-LED	Leading	1 - 4	1 - 7	1 - 13	1 - 24
390	Luc-Eco	GU10 (LGU5W380D40W-01)	5	Internal	SDIM-L-LED	Leading	1 - 5	1 - 10	1 - 20	1 - 36
391	Majortech	DLW-9C	9	External (MLD-10W)	SDIM-L-LED	Leading	1 - 3	1 - 5	1 - 10	1 - 18
392	Pharox	GU10	5.5	Internal	SDIM-L-LED	Leading	1 - 3	1 - 6	1 - 12	1 - 21
393	Pharox	P200 Candle	3.5	Internal	SDIM-L-LED	Leading	1 - 5	1 - 9	1 - 18	1 - 32
394	Pharox	P200 P45	4	Internal	SDIM-L-LED	Leading	1 - 4	1 - 8	1 - 17	1 - 30
395	Robus	R50GU10D	5	Internal	SDIM-L-LED	Leading	1 - 7	1 - 13	1 - 26	1 - 45


**Shuttle LEADING EDGE LED dimmers with Neutral (Live In and Load Out, Neutral required)**

NO	LED BRAND	MODEL	RATING (W)	DRIVER	DIMMER	TYPE	MAXIMUM NO OF LEDs			
							125W	250W	500W	800W
396	GE	GU10	6	Internal	SDIM-LN-LED	Leading	1 - 3	1 - 6	1 - 12	1 - 21
397	Osram	LED Superstar Classic B 25 Advanced	3.8	Internal	SDIM-LN-LED	Leading	1 - 6	1 - 11	1 - 23	1 - 41
398	Pharox	P400	8	Internal	SDIM-LN-LED	Leading	1 - 4	1 - 7	1 - 14	1 - 26
399	Pharox	P600	9	Internal	SDIM-LN-LED	Leading	1 - 3	1 - 6	1 - 12	1 - 22
400	Philips	Master LEDspot GU10 40D	4	Internal	SDIM-LN-LED	Leading	1 - 7	1 - 13	1 - 25	1 - 44
401	Philips	Master LEDspot GU10 40D	7	Internal	SDIM-LN-LED	Leading	1 - 5	1 - 9	1 - 17	1 - 31
402	Philips	Master LEDspot GU10 40D	8	Internal	SDIM-LN-LED	Leading	1 - 4	1 - 7	1 - 15	1 - 27
403	Philips	Master LEDspot GU10 PF	6	Internal	SDIM-LN-LED	Leading	1 - 3	1 - 5	1 - 10	1 - 18
404	Philips	Master LEDcandle E14	3	Internal	SDIM-LN-LED	Leading	1 - 6	1 - 11	1 - 21	1 - 38
405	Philips	Master LEDbulb E27	12	Internal	SDIM-LN-LED	Leading	1 - 5	1 - 9	1 - 19	1 - 33

**NOTES**

- 1 All measurements were conducted at 230VAC 50Hz
- 2 All low voltage lamp loads INCLUDE electronic transformer or driver losses.
- 3 Flicker at low light intensity is sometimes unavoidable – please set the dimmer minimum dim to avoid flicker (refer to relevant dimmer data sheet)
- 4 Some LED's dim to a completely off state – please set the dimmer minimum level to avoid this condition (refer to relevant dimmer data sheet)
- 5 Some Low voltage lamps and transformer combinations might exhibit flicker at various light intensities or might not turn on – please set the dimmer in “MR16 compatibility mode”
- 6 Maximum Load applies only when:
  - A - Supply voltage does not exceed 230VAC
  - B - Dimmer is well ventilated (ambient temperature around the dimmer is below 35°C)
  - C - Only one dimmer per wallbox

**\* LED stays slightly on when dimmer is off – please use a capacitive dummy load as per Shuttle recommendation to avoid this condition (only applies to pre- May 2018 production Shuttle dimmers)**

**\*\* Please refer to supplier for list of compatible and approved external transformers or drivers as well as load ratings thereof**

**\*\*\* Use the “Synerji mode” in the Synerji OEM branded dimmers for ideal dimming range**

**\*\*\*\* LED might require a 100kΩ 1W resistive dummy load for optimal dimming performance**